Pharmacist Consultation Aid Checklist.

Sumatran Relief 50 mg tablets (sumatriptan).

If a patient has been previously diagnosed with migraine by a doctor, the pharmacist can use the questions below to aid them deciding if the current condition of the patient will not be a risk factor for taking Sumatran Relief 50 mg tablets.

Questions:

	Question	Yes/No	/No Action		
1	Have you previously been diagnosed by		If yes, Sumatran Relief can be		
	a doctor with migraine?		supplied.		
2	Can you confirm your age is between 18		Not to be taken if <18 years or > 65		
	– 65 years?		years.		
3	Have the headache symptoms been		If yes, there may be another		
	present in this episode for a long period		underlying cause.		
	of time? Longer than 24 hours?				
4	Do you experience any of the following		If not 2 or more of these symptoms		
	symptoms?		refer to a doctor.		
	Intense throbbing/pulsating headache				
	Usually on one side of the head				
	Worsened by routine physical activity				
	Nausea (sometimes vomiting)				
	Sensitivity to light, noise, smells				
5	Have you taken any medication for the		If yes, ask what they have been		
	current headache episode?		taking? If a sumatriptan containing		
	(Including OTC products)		product, do they qualify for another		
			dose of sumatriptan?		
			Not to take within 24 hours of taking		
			a triptan or ergotamine containing		
6	A so you go set y to bi a g any ath as		product. Take note for interactions with		
0	Are you currently taking any other medicine? Chronic medication and		sumatriptan. See SPC (sec 4.5) for a		
	specifically, the use and/or prolonged		full list.		
	overuse of triptans, opioids ergotamine,		Tull list.		
	or combination of these drugs.				
	Have you been taking these or OTC		Take note of potential medication		
	medication (paracetamol, ibuprofen,		overuse headache		
	codeine) for more than 10 days per		overage medadene		
	month?				
7	Do you have any other medical condition		If yes, do they still qualify to take		
-	or any newly diagnosed conditions e.g.		Sumatran Relief?		
	heart disease?				
	Hypercholesterolaemia		Refer the patient to a doctor		
	Regular smoking		•		
	Marked obesity				
	Diabetes				
	Family history of early heart disease				

	Do you have any chest pain/shortness of breath?	
8	Have you been seen by a doctor lately to rule out any medical condition that could be the cause of recurrent or chronic headaches e.g. hypertension?	If no, should they be referred to a doctor? Sumatran Relief can't be taken in a hypertensive condition. If the cause seems to be medicine overuse headache (MOH), the patient must also be referred back to their doctor
9	Do you have any allergies you are aware of? Sulfonamides? Lactose? Check list of excipients	If yes, and it is for medicines, consider the implication for taking Sumatran Relief.
10	Do you get headaches very often? 15 or more days a month? Or recurrent headaches? (Four or more attacks per month)	If yes, should they be referred to a doctor. MOH: Headache present on > 15 days per month for 3 months, whose headache has developed or markedly worsened during medication overuse.
11	For female patients: Ask confidentially if there is a possibility that she may be pregnant. (Ask when was her last menstruation period). Is she taking oral contraceptives?	If yes, sumatriptan should not be supplied in pregnancy. Woman taking an oral contraceptive have an increased risk of stroke and should be referred to a doctor if the migraine attacks started recently (within the last 3 months), migraine symptoms worsened, or they have migraine with aura.

Notes / list of medications used by the patient:										